ooo philip harris

SAFETY DATA SHEET

IODOETHANE

Page: 1

Compilation date: 27/05/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: IODOETHANE

CAS number: 75-03-6

EINECS number: 200-833-1

Product code: A68470

Synonyms: ETHYL IODIDE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Laboratory Chemicals, Manufacture of Substances.

1.3. Details of the supplier of the safety data sheet

Company name: PHILIP HARRIS

	2 Gregory Street	
	Hyde	
	Cheshire	
	SK14 4HR	
	United Kingdom	
Tel:	+44 (0)845 1200 506	
Fax:	+44 (0)161 367 2140	
Email:	enquiries@philipharris.co.uk	

1.4. Emergency telephone number

Emergency tel: +44 (0) 845 1200 506

Section 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification under CHIP:	IP: Xn: R22	
Classification under CLP:	Acute Tox. 4: H302; STOT SE 3: H335; Eye Irrit. 2: H319; Resp. Sens. 1: H334; Skin Irrit.	
	2: H315; Skin Sens. 1: H317	
Most important adverse effects:	Harmful if swallowed.	
2.2. Label elements		
Label elements:		
Hazard statements: H302: Harmful if swallowed.		
	H315: Causes skin irritation.	
	H317: May cause an allergic skin reaction.	
	H319: Causes serious eye irritation.	
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
	H335: May cause respiratory irritation. [cont	

IODOETHANE

Signal words:DangerHazard pictograms:GHS07: Exclamation markGHS08: Health hazardImage: protection of the protective clothing/eye protection/face protection.Precautionary statements:P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.P302+352: IF ON SKIN: Wash with plenty of water/.P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.P304+341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P342+311: If experiencing respiratory symptoms: Call a POISON CENTER/doctor/.

Label elements under CHIP:

Hazard symbols: Harmful.



Risk phrases: R22: Harmful if swallowed.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: IODOETHANE CAS number: 75-03-6

EINECS number: 200-833-1

Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water. Consult a doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Consult a doctor. Do not induce vomiting. If conscious, give	
	half a litre of water to drink immediately. Never give anything by mouth to an unconcious	
	person	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If breathing	
	is irregular or stopped, administer artifical respiration. Consult a doctor.	

Page: 2

IODOETHANE

	Page: (
4.2. Most important symptoms	and effects, both acute and delayed			
Skin contact: There may be irritation and redness at the site of contact.				
Eye contact:	tact: There may be irritation and redness. The eyes may water profusely.			
Ingestion:	There may be soreness and redness of the mouth and throat. Inhalation of fumes from			
	the stomach may cause symptoms similar to direct inhalation.			
Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a				
	feeling of tightness in the chest. Drowsiness or mental confusion may occur.			
4.3. Indication of any immediat	Indication of any immediate medical attention and special treatment needed			
Immediate / special treatment:	IF exposed or if you feel unwell: Call a POISON CENTRE or DOCTOR. Show this safety			
inimediate / Special freatment.	data sheet to the doctor in attendance. The most important known symptoms and effects			
	are described in the labelling (see section 2.2) and/or in section 11			
	•			
Section 5: Fire-fighting measu	res			
5.1. Extinguishing media				
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray			
	to cool containers. CO2, extingushing powder or water jet. Fight larger fires with water jet			
or alcohol-resistant foam.				
5.2. Special hazards arising from the substance or mixture				
Exposure bazards:	In combustion emits toxic fumes. In combustion emits toxic fumes of carbon dioxide /			
	carbon monoxide. In combustion emits toxic fumes of hydrogen iodide.			
5.3. Advice for fire-fighters				
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact			
	with skin and eyes.			
Section 6: Accidental release r	measures			
6.1. Personal precautions, prot	tective equipment and emergency procedures			
Personal precautions:	Do not attempt to take action without suitable protective clothing - see section 8 of SDS.			
	Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of			
SDS for personal protection details. If outside do not approach from downwind. Mark out				
	the contaminated area with signs and prevent access to unauthorised personnel. If			
	outside keep bystanders upwind and away from danger point.			
6.2. Environmental precaution				
	Do not discharge into drains or rivers. Contain the spillage using bunding.			
6.3. Methods and material for o	containment and cleaning up			
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for			
	disposal by an appropriate method			

disposal by an appropriate method.

IODOETHANE

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid contact with skin and eyes. For precautions see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Containers which are open must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

Specific end use(s): Apart from uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Where risk assessment shows air-purifying respirators are appropriate use a full face respirator with multi purpose combination (US) or type AXBEK (EN14387 respirator cartridges as a back up to engineering controls. If the respirator is the sole means of protection use a full face supplied air respirator. Use respirators and components tested & approved under appropriate government standards eg CEN (EU) or NIOSH (US).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique

(without touching glove's outer surface) to avoid skin contact with this product. Dispose of

contaminated gloves after use in accordance with applicable laws a Full contact Material: Fluorinated rubber

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M) For splash protection use florinated rubber gloves minimum layer thickness 0.7mm.

IODOETHANE

	•	
Eye protection:	Face shield and safety glasses. Use equipment for eye protection test and approved	
	under approperiate government statments such as NIOSH (US) or EN 166(EU) Ensure	
	eye bath is to hand.	
Skin protection:	Impermeable protective clothing. The type of protective equipment must be selected	
	according to the concentration and amount of the dangerous substance at the specific	
	workplace.	
Environmental:	Do not let product enter drains. Discharge into the environment must be avoided.	

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range°C:	69-73	Melting point/range°C:	-108
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>73	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	177
Relative density:	1.95 g/cm3	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Light. Moist air.

10.5. Incompatible materials

Materials to avoid: Strong bases. Strong oxidising agents. Magnesium.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. In the event of fire see section 5.

Page: 5

IODOETHANE

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	330	mg/kg
GASES	RAT	1H LC50	65,000	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	INH DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

IODOETHANE

Page: 7

[cont...]

Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Disposal of packaging: Dispose of as unused product. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information 14.1. UN number UN number: UN1993 14.2. UN proper shipping name Shipping name: FLAMMABLE LIQUID, N.O.S. 14.3. Transport hazard class(es) Transport class: 3 14.4. Packing group Packing group: | 14.5. Environmental hazards Environmentally hazardous: No Marine pollutant: No 14.6. Special precautions for user Tunnel code: D/E Transport category: 1 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: Not applicable. 15.2. Chemical Safety Assessment Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H302: Harmful if swallowed. H315: Causes skin irritation.

IODOETHANE

H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335: May cause respiratory irritation.
R22: Harmful if swallowed.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

Page: 8