

METHYL RED 0.01% INDICATOR SOLUTION

Page: 1

Compilation date: 19/03/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: METHYL RED 0.01% INDICATOR SOLUTION

CAS number: 493-52-7

Product code: A69486

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals. ERC1: Manufacture of substances

#### 1.3. Details of the supplier of the safety data sheet

Company name: PHILIP HARRIS 2 Gregory Street Hyde Cheshire SK14 4HR United Kingdom Tel: +44 (0)845 1200 506 Fax: +44 (0)161 367 2140

Email: enquiries@philipharris.co.uk

#### 1.4. Emergency telephone number

Emergency tel: +44 (0) 845 1200 506

# Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CHIP: F: R11

Classification under CLP: Flam. Liq. 2: H225

Most important adverse effects: Highly flammable.

#### 2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

Signal words: Danger

Hazard pictograms: GHS02: Flame



Precautionary statements: P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### METHYL RED 0.01% INDICATOR SOLUTION

		Page:	2
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.		
	Rinse skin with water/shower.		
	P309+311: IF exposed or if you feel unwell: Call a POISON CENTRE or doctor.		
Label elements under CHIP:			
Hazard symbols:	Highly flammable.		
Risk phrases:	R11: Highly flammable.		

**Risk phrases** R11: Highly flammable.

Safety phrases: S36/37: Wear suitable protective clothing and gloves.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

3.2. Mixtures

#### Hazardous ingredients:

ETHANOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-578-6	64-17-5		Flam. Liq. 2: H225	>90%
		Substance with a Community		
		workplace exposure limit.		

### METHANOL

200-659-6	67-56-1	F: R11; T: R23/24/25; T:	Flam. Liq. 2: H225; Acute Tox. 3:	1-10%
		R39/23/24/25	H331; Acute Tox. 3: H311; Acute Tox.	
			3: H301; STOT SE 1: H370	

### Section 4: First aid measures

# 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor. Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### METHYL RED 0.01% INDICATOR SOLUTION

Page: 3

		Page: 3
4.2. Most important symptoms	and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be irritation and redness. The eyes may water profusely.	
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach	
	pain may occur. There may be vomiting.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immediat	e medical attention and special treatment needed	
Immediate / special treatment:	Not applicable.	
Section 5: Fire-fighting measu	res	
5.1. Extinguishing media		
	Alashal as polymer form. Corbon diovide. Dry chomical powder. Use water spray to cool	
Exunguishing media.	Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.	
E 2. Special bazarde origing fre		
5.2. Special hazards arising fro		
Exposure hazards:	Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.	
	Vapour may travel considerable distance to source of ignition and flash back.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
Section 6: Accidental release r	neasures	
6.1. Personal precautions, prot	tective equipment and emergency procedures	
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Turn	
	leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of	
	ignition.	
6.2. Environmental precautions	S	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	_
6.3. Methods and material for c	containment and cleaning up	
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for	
	disposal by an appropriate method. Do not use equipment in clean-up procedure which	
	may produce sparks.	
6.4. Reference to other section		
	2	

Reference to other sections: Refer to section 8 of SDS.

#### METHYL RED 0.01% INDICATOR SOLUTION

Page: 4

# Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. 7.3. Specific end use(s) Specific end use(s): No data available. Section 8: Exposure controls/personal protection 8.1. Control parameters Hazardous ingredients: **ETHANOL** Workplace exposure limits: **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 1920 mg/m3 \_ **METHANOL** UK 266 mg/m3 333 mg/m3 -\_ **DNEL/PNEC** Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition. Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Impermeable gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Impermeable protective clothing. Environmental: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Section 9: Physical and chemical properties

#### METHYL RED 0.01% INDICATOR SOLUTION

9.1. Information on basic physic	ical and chemical properties	
State:	Liquid	
Colour:	Colourless	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	Soluble	
Viscosity:	No data available.	
Boiling point/range°C:	78 Melting point/range°C:	-144
Flammability limits %: lower:	3.3 upper:	19
Flash point°C:	14 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	363 Vapour pressure:	59.5
Relative density:	0.7974 <b>pH</b> :	No data available.
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

11.1. Information on toxicological effects

#### METHYL RED 0.01% INDICATOR SOLUTION

Page: 6

#### Hazardous ingredients:

#### **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

#### METHANOL

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Toxicity values: No data available.

#### Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur. There may be vomiting.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Other information:	Central nervous system depression, narcosis, Nausea, Dizziness, Damage to the
	heart., Gastrointestinal
	disturbance, May cause convulsions

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### METHYL RED 0.01% INDICATOR SOLUTION

Page: 7

# Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Disposal of packaging: Dispose of as unused product. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. **Section 14: Transport information** 14.1. UN number UN number: UN1170 14.2. UN proper shipping name Shipping name: ETHANOL (ETHYL ALCOHOL) 14.3. Transport hazard class(es) Transport class: 3 14.4. Packing group Packing group: || 14.5. Environmental hazards Environmentally hazardous: No Marine pollutant: No 14.6. Special precautions for user Special precautions: No special precautions. Tunnel code: D/E Transport category: 2 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2. Chemical Safety Assessment Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. \* indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H301: Toxic if swallowed. H311: Toxic in contact with skin. H331: Toxic if inhaled.

# METHYL RED 0.01% INDICATOR SOLUTION

		Page:	8
	H370: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state of<="" route="" th=""><th></th><th></th></state></or>		
	exposure if it is conclusively proven that no other routes of exposure cause the hazard>.		
	R11: Highly flammable.		
	R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.		
	R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation, in		
	contact with skin and if swallowed.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		