

SCHIFF'S REAGENT

Page: 1

Compilation date: 27/02/2014

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SCHIFF'S REAGENT

Product code: A70865

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Philip Harris Ltd

	2 Gregory Street
	Hyde
	Cheshire
	SK14 4HR
	United Kingdom
Tel:	+44 (0)845 1200 506
Fax:	+44 (0)161 367 2140
Email:	enquiries@philipharris.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 845 1200 506

Section 2: Hazards identification

2.1. Classification of the subs	stance or mixture
Classification under CHIP:	T: R45; -: R31; Xi: R36/37/38
Classification under CLP:	Skin Irrit. 2: H315; Carc. 1B: H350; Eye Irrit. 2: H319; Acute Tox. 4: H302; Acute Tox. 4:
	H332; Skin Corr. 1B: H314; STOT SE 3: H335; -: EUH031
Nost important adverse effects:	May cause cancer. Contact with acids liberates toxic gas. Irritating to eyes, respiratory
	system and skin.
2.2. Label elements	
Label elements under CLP:	
Hazard statements:	H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H350: May cause cancer.

EUH031: Contact with acids liberates toxic gas.

SCHIFF'S REAGENT

Page: 2

Signal words:	Danger
Hazard pictograms:	GHS07: Exclamation mark
	GHS08: Health hazard
Precautionary statements:	P201: Obtain special instructions before use.
	P202: Do not handle until all safety precautions have been read and understood.
	P264: Wash skin with plently of soap and water thoroughly after handling.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P281: Use personal protective equipment as required.
	P302+350: IF ON SKIN: Gently wash with plenty of soap and water.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+313: IF exposed or concerned: Get medical advice/attention.
Label elements under CHIP:	
Hazard symbols:	Toxic.
Risk phrases:	R45: May cause cancer.
	R31: Contact with acids liberates toxic gas.
	R36/37/38: Irritating to eyes, respiratory system and skin.
Safety phrases:	S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.
	S38: In case of insufficient ventilation, wear suitable respiratory equipment.
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show
	the label where possible).
	S53: Avoid exposure - obtain special instructions before use.
Precautionary phrases:	Restricted to professional users.
2.3. Other hazards	
DDT.	This product is not identified on a DDT substance

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

SCHIFF'S REAGENT

Page: 3

Hazardous ingredients:

SODIUM METABISULPHITE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-673-0	7681-57-4	Xn: R22; -: R31; Xi: R41	Acute Tox. 4: H302; Eye Dam. 1: H318; -: EUH031	1-10%

C.I. BASIC RED 9

C.I. DAGIC INL	3			
209-321-2	569-61-9	T: R45	Carc. 1B: H350	<1%
HYDROCHLC	RIC ACID			
231-595-7	-	C: R34; Xi: R37	Skin Corr. 1B: H314; STOT SE 3: H335	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water spray.

Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

SCHIFF'S REAGENT

	i aye. 4		
5.3. Advice for fire-fighters			
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact		
	with skin and eyes.		
ection 6: Accidental release	e measures		
6.1. Personal precautions, pr	otective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details. Evacuate the area immediately.		
	Ensure adequate ventilation. Avoid breathing vapors, mist or gas. If outside do not		
	approach from downwind. If outside keep bystanders upwind and away from danger		
	point. Mark out the contaminated area with signs and prevent access to unauthorised		
	personnel. Turn leaking containers leak-side up to prevent the escape of liquid.		
6.2. Environmental precautio	ons		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the		
	neighbourhood to the presence of fumes or gas.		
6.2 Mothodo and motorial fo	r containment and cleaning up		
0.5. Methods and material fo			
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific		
	substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage		
	container for disposal by an appropriate method.		
6.4. Reference to other sections			
Reference to other sections:	Refer to section 8 of SDS.		
Section 7: Handling and stor	rage		
7.1. Precautions for safe han	dling		
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.		
	Do not handle in a confined space. Avoid the formation or spread of mists in the air.		
7.2. Conditions for safe stora	age, including any incompatibilities		
_	Store in cool, well ventilated area. Keep container tightly closed.		
7.3. Specific end use(s)			
Specific end use(s):	No data available.		
Section 8: Exposure control	s/personal protection		
8.1. Control parameters			

Hazardous ingredients:

SCHIFF'S REAGENT

Page: 5

-

SODIUM METABISULPHITE

Workplace exposure limits: Respirable dust State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 5 mg/m3

-

HYDROCHLORIC ACID...100%

UK

8 mg/m3

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8 mg/m3

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:LiquidColour:ColourlessOdour:Sulphur dioxide

Boiling point/range°C: >35

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

SCHIFF'S REAGENT

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM METABISULPHITE

IVN	RAT	LD50	115	mg/kg
ORL	RAT	LD50	1131	mg/kg
SKN	RAT	LD50	>2	gm/kg

C.I. BASIC RED 9

ORL MUS LD50	5	gm/kg
--------------	---	-------

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated
Carcinogenicity		Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

SCHIFF'S REAGENT

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of as unused product.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	EUH031: Contact with acids liberates toxic gas.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
	H350: May cause cancer <state conclusively="" exposure="" if="" is="" it="" no="" of="" other<="" proven="" route="" th="" that=""></state>
	routes of exposure cause the hazard>.
	R22: Harmful if swallowed.
	R31: Contact with acids liberates toxic gas.

SCHIFF'S REAGENT

Page: 8

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R37: Irritating to respiratory system.

R41: Risk of serious damage to eyes.

R45: May cause cancer.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.