# ooo philip harris

# SAFETY DATA SHEET

CLARKE'S SOAP SOLUTION

Page: 1

Compilation date: 17/06/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: CLARKE'S SOAP SOLUTION

Product code: A71031

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals. ERC1: Manufacture of substances

## **1.3.** Details of the supplier of the safety data sheet

Company name: PHILIP HARRIS

2 Gregory Street Hyde Cheshire

SK14 4HR

United Kingdom

Tel: +44 (0)845 1200 506

Fax: +44 (0)161 367 2140

Email: enquiries@philipharris.co.uk

## **1.4. Emergency telephone number**

Emergency tel: +44 (0) 845 1200 506

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225; STOT SE 2: H371

Most important adverse effects: Highly flammable liquid and vapour. May cause damage to organs .

#### 2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

H371: May cause damage to organs .

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS08: Health hazard



Precautionary statements: P243: Take precautionary measures against static discharge.

P264: Wash thoroughly after handling.

#### CLARKE'S SOAP SOLUTION

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P309+311: IF exposed or if you feel unwell: Call a POISON CENTRE or doctor.
P370+378: In case of fire: Use to extinguish.

## 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

## 3.1. Substances

Chemical identity: CLARKE'S SOAP SOLUTION

Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.	
	Drench the affected skin with running water for 10 minutes or longer if substance is still	
	on skin. Consult a doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water	
	to drink immediately. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a	

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

Page: 2

#### CLARKE'S SOAP SOLUTION

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

Vapour may travel considerable distance to source of ignition and flash back.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Smoking is forbidden. Use non-sparking tools.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

## CLARKE'S SOAP SOLUTION

Page: 4

## 8.1. Control parameters

Workplace exposure limits: No data	a avallable.
------------------------------------	--------------

DNEL / PNEC       No data available.         8.2. Exposure controls       Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.         Respiratory protection:       Self-contained breathing apparatus must be available in case of emergency.         Hand protection:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use.         Wash and dry hands. Full contact       Material: Nitrile rubber         Minimum layer thickness: 0.11 mm       Break through time: 480 min         Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M) Splash contact       Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (&inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye barh is to hand.         Skin protection:       Inpermeable protective clobing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         State:       Liguid         Colour:       No data available.         Evaporation rate:       No da	DNEL/PNEC Values	
Engineering measures:       Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.         Respiratory protection:       Self-contained breathing apparatus must be available in case of emergency.         Hand protection:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use.         Wash and dry hands. Full contact       Material: Nitrile rubber         Minimum layer thickness: 0.11 mm       Break through time: 480 min         Material: Nitrile rubber       Material: Nitrile rubber         Minimum layer thickness: 0.11 mm       Break through time: 480 min         Material tested:Dermatrik@ (KCL 740 / Aldrich Z677272, Size M) Splash contact       Material: Stelf. Durmatik@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmenta:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties	DNEL / PNEC	No data available.
equipment are not a source of ignition.  Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use. Wash and dry hands. Full contact Wash and dry hands. Full contact Material: Ntrifie rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Ntrifie rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Break through time: 480 min Material tested:Dermatrik® (KCL 740 / Aldrich Z677272, Size M) Eve protection Br	8.2. Exposure controls	
Respiratory protection:       Self-contained breathing apparatus must be available in case of emergency.         Hand protection:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use.         Wash and dry hands. Full contact       Wash and dry hands. Full contact         Material: Nitrile rubber       Minimum layer thickness: 0.11 mm         Break through time: 480 min       Material: Nitrile rubber         Minimum layer thickness: 0.11 mm       Break through time: 480 min         Material: Nitrile rubber       Minimum layer thickness: 0.11 mm         Break through time: 480 min       Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact         Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)       Sequent for eye protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmentat:       Provent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties	Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
Hand protection:       Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching the gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use.         Wash and dry hands. Full contact       Wash and dry hands. Full contact         Material: Nitrie rubber       Minimum layer thickness: 0.11 mm         Break through time: 480 min       Material: Nitrie rubber         Minimum layer thickness: 0.11 mm       Break through time: 480 min         Material: tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)       Splash contact         Material: tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)       Splash contact         Material: tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)       Splash contact         Material: tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)       Section 150 (Size Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (Sinch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.		equipment are not a source of ignition.
technique (without touching the gloves outer surface) to avoid skin contact with this         product. Dispose of contaminated gloves after use.         Wash and dry hands. Full contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection tested and approved under appropriate government standards such as         NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific workplace.         Environmenta:       Prevent further leakage or spillage if safe to do s	Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
product. Dispose of contaminated gloves after use.          Wash and dry hands. Full contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: ested: Dermatril@ (KCL 740 / Aldrich Z677272, Size M) Splash contact         Material tested: Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties       9.1. Information on basic physical and chemical properties         9.1. Information on basic physical and chemical properties       10. Adat available.         Evaporation rate:       No data available.         Evapora	Hand protection:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal
Wash and dry hands. Full contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)         Eye protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection tested and approved under appropriate government standards such as         NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific         workplace.         Environmentat:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains.         Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         91. Information on basic physical available         Evaporation rate: <t< th=""><th></th><th>technique (without touching the gloves outer surface) to avoid skin contact with this</th></t<>		technique (without touching the gloves outer surface) to avoid skin contact with this
Material: Nitrie rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M) Splash contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: lested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M) Splash contact         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection tested and approved under appropriate government standards such as         NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific         workplace.         Environmentai:         Prevent further leakage or spillage if safe to do so. Do not let product enter drains.         Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical available         Colou:       No data available         Evaporation rate:		product. Dispose of contaminated gloves after use.
<ul> <li>Minimum layer thickness: 0.11 mm</li> <li>Break through time: 480 min</li> <li>Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact</li> <li>Material: Nitrile rubber</li> <li>Minimum layer thickness: 0.11 mm</li> <li>Break through time: 480 min</li> <li>Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)</li> <li>Splash contact</li> <li>Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)</li> <li>Splash contact</li> <li>Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)</li> <li>Tighty fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.</li> <li>Skin protection:</li> <li>Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</li> <li>Environmentai:</li> <li>Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.</li> <li>Section 9: Physical and chemical properties</li> <li>9.1. Information on basic physical and chemical properties</li> <li>9.1. Information on basic physical and chemical properties</li> <li>Uquid</li> <li>Colou:</li> <li>No data available</li> <li>Evaporation rate:</li> <li>No data available.</li> <li>Oxidising:</li> <li>No data available.</li> </ul>		Wash and dry hands. Full contact
Break through time: 480 min         Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)         Eye protection:         Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties       Impermeable Protecties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		Material: Nitrile rubber
Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact         Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection:       Impermeable protective dufter appropriate government standards such as         NIOSH (US) or EN166(EU). Ensure eye bath is to hand.       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific workplace.       Prevent further leakage or spillage if safe to do so. Do not let product enter drains.         Discharge into the environment must be avoided.       Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties       Liquid         Colour:       No data available         Evaporation ra		Minimum layer thickness: 0.11 mm
Material: Nitrile rubber         Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material: tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye         protection tested and approved under appropriate government standards such as       NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific       workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains.         Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		Break through time: 480 min
Minimum layer thickness: 0.11 mm         Break through time: 480 min         Material tested:Dermatril@ (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact
Break through time: 480 min       Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic phys:       and chemical properties         State:       Liquid         Colour:       No data available.         Evaporation rate:       No data available.         Oxidising:       No data available.		Material: Nitrile rubber
Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)         Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties       91. Information on basic physical and chemical properties         91. Information on basic physical and chemical properties       Iciquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		Minimum layer thickness: 0.11 mm
Eye protection:       Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available.         Evaporation rate:       No data available.         Oxidising:       No data available.		Break through time: 480 min
protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU). Ensure eye bath is to hand. Skin protection: Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Environmental: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: No data available Evaporation rate: No data available. Oxidising: No data available.		Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)
NIOSH (US) or EN166(EU). Ensure eye bath is to hand.         Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.	Eye protection:	Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye
Skin protection:       Impermeable protective clothing. The type of protective equipment must be selected         according to the concentration and amount of the dangerous substance at the specific         workplace.         Environmental:         Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		protection tested and approved under appropriate government standards such as
according to the concentration and amount of the dangerous substance at the specific workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		NIOSH (US) or EN166(EU). Ensure eye bath is to hand.
workplace.         Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.	Skin protection:	Impermeable protective clothing. The type of protective equipment must be selected
Environmental:       Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.         Section 9: Physical and chemical properties         9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available.         Evaporation rate:       No data available.         Oxidising:       No data available.		according to the concentration and amount of the dangerous substance at the specific
Discharge into the environment must be avoided.  Section 9: Physical and chemical properties  9.1. Information on basic physical and chemical properties  State: Liquid Colour: No data available Evaporation rate: No data available. Oxidising: No data available.		workplace.
Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: No data available Evaporation rate: No data available. Oxidising: No data available.	Environmental:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
9.1. Information on basic physical and chemical properties         State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		Discharge into the environment must be avoided.
State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.	Section 9: Physical and chemi	cal properties
State:       Liquid         Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.	9.1. Information on basic physic	ical and chemical properties
Colour:       No data available         Evaporation rate:       No data available.         Oxidising:       No data available.		
Evaporation rate: No data available. Oxidising: No data available.		
Oxidising: No data available.		
-	-	
	-	
Viscosity: No data available.	-	

Flammability limits %: lower: 3.3

Melting point/range°C: -144

CLARKE'S SOAP SOLUTION

			-	
		upper:	19	
Flash point°C:	14	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	363	Vapour pressure:	59.5	
Relative density:	0.7974	pH:	No data available.	
VOC g/I:	No data available.			
9.2. Other information				
Other information:	No data available.			
Section 10: Stability and react	vity			
10.1. Reactivity				
Reactivity:	Stable under recommended transport of	or storage conditions.		
10.2. Chemical stability				
Chemical stability:	Stable under normal conditions. Stable	at room temperature.		
10.3. Possibility of hazardous reactions				

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### Relevant hazards for substance:

Hazard	Route	Basis
STOT-single exposure	-	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Central nervous system depression, narcosis, Nausea, Dizziness, Damage to the

Page: 5

#### CLARKE'S SOAP SOLUTION

heart., Gastrointestinal

#### disturbance, May cause convulsions

#### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of as unused product.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## Section 14: Transport information

14.1. UN number

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |

14.5. Environmental hazards

Environmentally hazardous: No

Page: 6

## CLARKE'S SOAP SOLUTION

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 1

## Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

## Section 16: Other information

## Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H371: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state route<="" th=""></state></or>
	of exposure if it is conclusively proven that no other routes of exposure cause the
	hazard>.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.