

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name: **POTASSIUM MANGANATE**
 CAS-No.: **7722-64-7**
 Product Number: **F78769**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Philip Harris Ltd., 2 Gregory Street, Hyde, Cheshire, SK14 4HR,
 UNITED KINGDOM
 Telephone: +44 (0)845 1200 506 Fax: +44 (0)161 367 2140
 Email: enquiries@philipharris.co.uk

1.4 Emergency telephone number

Emergency Phone #: **+44 (0)845 1200 506**

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) No1272/2008;
 H272 Oxidizing solids (Cat 3), H302 Acute Toxicity (Cat 4), H410 Long Term Aquatic Hazard (Cat 1),
 H411 Toxic to Aquatic Life with long lasting effects

2.2 Label elements

Pictogramm



Signal word

Warning

Hazard statement(s) H272 May intensify fire, oxidiser. H302 Harmful if swallowed.
 H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effect.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P220: Keep away from clothing and other combustible materials.
 P260: Do not breathe dust or mist
 P273: Avoid release to the environment
 P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE/ doctor.
 P370+P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

R-phrases(s): R 8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

S-phrases(s): S17 Keep away from combustible material. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

2.3 Other hazards – no data available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Potassium manganate

Formula: **KMnO₄**
Molecular Weight: **158.03 g/mol**
CAS-No.: **7722-64-7**
EC-No.: **231-760-3**

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact: Wash off with soap and plenty of water.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture: no data available

5.3 Precautions for fire-fighters: Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information: Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions: Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections: For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from combustible material.

7.2 Conditions for safe storage, including any incompatibilities: Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end uses: no data available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters: no data available.

8.2 Exposure controls

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection: The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Handle with gloves.

Body Protection: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- | | | |
|--|--------------------|--|
| a) Appearance: | Form: Solid | Colour: Dark Violet |
| b) Odour: | no data available | |
| c) Odour Threshold: | no data available | |
| d) pH: | no data available | |
| e) Melting/freezing point: | 190 °C | Melting point/range: no data available |
| f) Initial boiling point and boiling range: | no data available | |
| g) Flash point: | no data available | |
| h) Evaporation rate: | no data available | |
| i) Flammability (solid, gas): | no data available | |
| j) Upper/lower flammability or explosive limits: | no data available | |
| k) Vapour pressure: | no data available | |
| l) Vapour density: | no data available | |
| m) Relative density: | no data available | |

- n) Water solubility: no data available
o) Partition coefficient: n-octanol/water: no data available
p) Autoignition temperature: no data available
q) Decomposition temperature: no data available
r) Viscosity: no data available
s) Explosive properties: no data available
t) Oxidizing properties: no data available
9.2 Other safety information: no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity: no data available

10.2 Chemical stability: Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions: no data available

10.4 Conditions to avoid: Avoid moisture.

10.5 Incompatible materials: Strong reducing agents, Powdered metals, Peroxides, Zinc, Copper

10.6 Hazardous decomposition products: formed under fire conditions. - Potassium oxides, Manganese/manganese oxides

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure: Anemia, Throat., Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system.

Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Cough, Shortness of breath, Headache

Additional Information: RTECS: no data available

12. ECOLOGICAL INFORMATION

12.1 Toxicity: no data available

12.2 Persistence and degradability: no data available

12.3 Bioaccumulative potential: no data available

12.4 Mobility in soil: no data available

12.5 Results of PBT and vPvB assessment: no data available

12.6 Other adverse effects: no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN-Number

ADR/RID: 1479 IMDG: 1479 IATA: 1479

14.2 UN proper shipping name

ADR/RID: OXIDIZING SOLID, N.O.S. (Potassium manganate)

IMDG: OXIDIZING SOLID, N.O.S. (Potassium manganate)

IATA: OXIDIZING SOLID, N.O.S. (Potassium manganate)

14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for users: EMS-No: F-A, S-Q

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. OTHER INFORMATION

Eye Irrit. Eye irritation, H272 May intensify fire; oxidiser. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ox. Sol. Oxidizing solids. Skin Irrit. Skin irritation. STOT SE Specific target organ toxicity - single exposure. O Oxidising. Xi Irritant. R 8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.