



MSDS

Report No.: *BST18051061790003Y-IRR-4* Date: Dec 26, 2022

Page 1 of 7

Material Safety Data Sheets

Section 1 - Product and Company Identification

Product Identification: Jumbo Sidewalk Chalk Assorted Pack 52

Supplier Name: NINGBO GOODTIME INDUSTRY & TRADING CO., LTD

Supplier Address: 1001, Raymond Building, No 459 Taikang Middle Road, Yinzhou, Ningbo, China

Smample Model: 187311

Contact Person : TOBEY

Tel.: 15867581466

E-mail: 719023029@qq.com

Signed for and on behalf of



Andy Zheng/Technical Director

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng
District, Dong guan, Guangdong, China

Tel:400-882-9628

Http://www.bst-lab.com

E-mail:christina@bst-lab.com

Complaints hotline:86-755-26747756



MSDS

Report No.: BST18051061790003Y-IRR-4 Date: Dec 26, 2022

Page 2 of 7

Material Safety Data Sheets

Section 2 – Composition/Information on Ingredients

Ingredient Name: Jumbo Sidewalk Chalk Assorted Pack 52

The difference between the single product and mixture: mixture

Chemical Name:

Constitutes:

Chemical Formula	CAS No.	Content/%
Calcium Hydroxide	1305-62-0	49.38
Water	7732-18-5	49.38
Pigment	--	1.24

Section 3 - Hazards Identification information

Health Hazards (Acute & Chronic):

Powder can activate our nose and fauces, lead to chogh and sore throat.

Environment's effect: None

Physics and chemistry's danger: Avoid contact with eyes.

Special harm: None

Main symptoms: None

Classification of substance: None

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng
District, Dong guan, Guangdong, China

Tel: 400-882-9628

Http://www.bst-lab.com

E-mail: christina@bst-lab.com

Complaints hotline: 86-755-26747756



MSDS

Report No.: BST18051061790003Y-IRR-4 Date: Dec 26, 2022

Page 3 of 7

Material Safety Data Sheets

Section 4 - First Aid Measures

First Aid:

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention.

Skin: Swabbed out and water to clean.

Inhalation: Not Applicable.

Ingestion: Water gargle, to drink milk or egg white. Get medical attention.

Section 5 - Fire Fighting Measures

Hazardous Characteristics: aphlogistic

Hazardous Combustion Products: Not Applicable.

Section 6 - Accidental Release Measures

Product is a solid, no leakage

Section 7 - Handling and Storage

- Wearing protective clothing, wear rubber gloves.
- Prevent packaging and container unloading damage.

Precautions to be taken in handling and storing

- Stored in a cool, well-ventilated area.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng
District, Dong guan, Guangdong, China

Tel:400-882-9628

[Http://www.bst-lab.com](http://www.bst-lab.com)

E-mail:christina@bst-lab.com

Complaints hotline:86-755-26747756



MSDS

Report No.: BST18051061790003Y-IRR-4 Date: Dec 26, 2022

Page 4 of 7

Material Safety Data Sheets

- Far from fire, heat source, Humid environments.
- Equipped with corresponding varieties and number of fire equipment.

Section 8 - Exposure Controls & Personal Protection

Respiratory Protection:

The higher concentration in the air when filter brand-newly type gas mask, wearing a mask (half).

Ventilation: Not necessary under conditions of normal use.

Protective Gloves: Wear rubber gloves.

Other Protective Clothing or Equipment:

- Wearing protective clothing.
- Maintain good health habits.

Section 9-Physical and Chemical Properties

Appearance and properties: Solid

Color: Yellow, Green, Blue, Purple, Orange, Pink, White

Melting point (°C) : 2580

Relative density (water=1): 3.35

Boiling Point (°C): 2850

Decomposition temperature (°C): No Material

Relative steam density (air = 1): No Material

Burning heat (kJ/mol): No Material

The critical temperature (°C) : No Material

Critical pressure (MPa): No Material

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



MSDS

Report No.: *BST18051061790003Y-IRR-4* Date: Dec 26, 2022

Page 5 of 7

Material Safety Data Sheets

Section 10 - Stability & Reactivity Data

Chemical Stability: Stable.

Conditions to Avoid: Humid environments.

Material for avoiding : Some substance after oxidation, acerbity.

Hazardous Polymerization: N\A

Section 11 - Toxicological Information

Toxicological Information: N\A

Excitant: Slightly

Primary irritant effect

- on the skin: No irritant effect.
- on the eye: Slight irritation.
- Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Toxicokinetics, metabolism and distribution: No further relevant information available.

Acute effects (acute toxicity, irritation and corrosivity): No further relevant information available.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng District, Dong guan, Guangdong, China
Tel:400-882-9628
E-mail:christina@bst-lab.com
Http://www.bst-lab.com
Complaints hotline:86-755-26747756



MSDS

Report No.: *BST18051061790003Y-IRR-4* Date: Dec 26, 2022

Page 6 of 7

Material Safety Data Sheets

Section 12 - Ecological Information

Ecological Information:

Water hazard class 1 (German Regulation) (Self-assessment): Not applicable.

Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Waste treatment methods

1. To process to others products.
2. Local agency to understand correlative procedure.

Section 14 - Transport Information

Packaging methods: N/D

Transport Fashion: By air, by sea, by railway, by road.

Attention: Gentle with, prevent collision drag and dump, Avoid exposure.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng
District, Dong guan, Guangdong, China

Tel: 400-882-9628

[Http://www.bst-lab.com](http://www.bst-lab.com)

E-mail: christina@bst-lab.com

Complaints hotline: 86-755-26747756



MSDS

Report No.: *BST18051061790003Y-IRR-4* Date: Dec 26, 2022

Page 7 of 7

Material Safety Data Sheets

Section 15 - Regulatory Information

Work safety and sanitation law, The rule of lead free , Waste clear's rule.

Section 16 - Other Information

Other Information: the above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

BST confirmed the ninth item, the above content as reference information only. Please the user according to the demand to judge it usability. BST has no any responsibility.

*** End ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng
District, Dong guan, Guangdong, China

Tel:400-882-9628

Http://www.bst-lab.com

E-mail:christina@bst-lab.com

Complaints hotline:86-755-26747756