

**Trade name:** Oil Pastels Fluorescent Color Pink

**Product no.:** PHN-F6 pink

**Current version :** 2.0.0, issued: 12.04.2023

**Replaced version:** 1.0.0, issued: 05.10.2022

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**Oil Pastels Fluorescent Color Pink**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

art supplies  
pastel colour

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Pentel Bürobedarf-Handelsgesellschaft GmbH  
Lademannbogen 143  
22339 Hamburg  
GERMANY

Telephone no. +49 (0) 40 / 53 80 91 - 0

Fax no. +49 (0) 40 / 53 85 58 - 7

**Information provided by / telephone**

+49 (0) 40 / 53 80 91 - 0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

-

**Hazard statements (EU)**

EUH208

Contains 3,6-bis(ethylamino)-9-[2-(methoxycarbonyl)phenyl]-2,7 dimethylxanthylum chloride C.I. Basic Red. 1:1. May produce an allergic reaction.

**Precautionary statement(s)**

-

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

**2.3 Other hazards**

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**PBT assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

**vPvB assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

Hazardous ingredients		Additional information		
No	Substance name			
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Distillates (petroleum), heavy hydrocracked		Contains < 3 % DMSO extract (IP 346). pls. refer to footnote (2)	
	64741-76-0 265-077-7 649-453-00-1 01-2119486951-26	Asp. Tox. 1; H304	< 5.00	wt%
2	3,6-bis(ethylamino)-9-[2-(methoxycarbonyl)phenyl]-2,7 dimethylxanthylum chloride C.I. Basic Red. 1:1			
	3068-39-1 221-326-1 - -	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Sens. 1B; H317 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%
3	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]			
	13463-67-7 236-675-5 - 01-2119489379-17	-	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	L	-	-	-
2	-	-	M = 10	-
3	V, W, 10	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

**Trade name:** Oil Pastels Fluorescent Color Pink

**Product no.:** PHN-F6 pink

**Current version :** 2.0.0, issued: 12.04.2023

**Replaced version:** 1.0.0, issued: 05.10.2022

**Region:** GB

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Ensure supply of fresh air.

#### After skin contact

When in contact with the skin, clean with soap and water. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon oxides (COx)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]	13463-67-7	236-675-5
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m <sup>3</sup>
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m <sup>3</sup>

**DNEL, DMEL and PNEC values****DNEL values (worker)**

DNEL values (worker)					
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Distillates (petroleum), heavy hydrocracked			64741-76-0 265-077-7	
	dermal	Long term (chronic)	systemic	0.97	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	2.73	mg/m³
	inhalative	Long term (chronic)	local	5.58	mg/m³

**DNEL value (consumer)**

DNEL value (consumer)				
No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	Distillates (petroleum), heavy hydrocracked			64741-76-0 265-077-7
	oral	Long term (chronic)	systemic	0.74 mg/kg bw/day

**PNEC values**

TNEQ values			
No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	Distillates (petroleum), heavy hydrocracked		64741-76-0 265-077-7
	secondary poisoning	-	9.33 mg/ka food

**8.2 Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment**

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Safety glasses (EN 166)

**Hand protection**

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Other**

Chemical-resistant work clothes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****State of aggregation**

liquid

**Colour**

pink

**Odour**

alcohol-like

**pH value**

No data available

**Boiling point / boiling range**

No data available

**Melting point/freezing point**

No data available

**Decomposition temperature**

No data available

**Flash point**

No data available

**Ignition temperature**

No data available

**Flammability**

No data available

**Lower explosion limit**

No data available

**Upper explosion limit**

No data available

**Vapour pressure**

No data available

**Relative vapour density**

No data available

**Relative density**

No data available

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB**Density**

No data available

**Solubility**

No data available

**Partition coefficient n-octanol/water (log value)**

No data available

**Kinematic viscosity**

No data available

**Particle characteristics**

No data available

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

No data available.

**10.5 Incompatible materials**

strong oxidizing agents

**10.6 Hazardous decomposition products**

No data available.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Source	ECHA		

Acute inhalational toxicity (result of the ATE calculation for the mixture)		
No	Product Name	
1	Oil Pastels Fluorescent Color Pink	

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB

Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).
----------	---

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
LC50	>	2000	mg/l
Duration of exposure		4	h
State of aggregation	Gas		
Species	rat		
Source	ECHA		

Skin corrosion/irritation
No data available

Serious eye damage/irritation
No data available

Respiratory or skin sensitisation
No data available

Germ cell mutagenicity
No data available

Reproduction toxicity
No data available

Carcinogenicity
No data available

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Aspiration hazard
No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
LC50	>	100	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
-----------------------------

**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB

No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
EC50	>	10000	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

**Toxicity to Daphnia (chronic)**

No data available

**Toxicity to algae (acute)**

No data available

**Toxicity to algae (chronic)**

No data available

**Bacteria toxicity**

No data available

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment****Results of PBT and vPvB assessment**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain &gt; 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain &gt; 0.1% of a substance that is considered to be vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information****Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



**Trade name:** Oil Pastels Fluorescent Color Pink**Product no.:** PHN-F6 pink**Current version :** 2.0.0, issued: 12.04.2023**Replaced version:** 1.0.0, issued: 05.10.2022**Region:** GB**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Calcium carbonate	471-34-1	207-439-9	75
2	Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7	75
3	Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	75
4	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.

**15.2 Chemical safety assessment**

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

**Trade name:** Oil Pastels Fluorescent Color Pink

**Product no.:** PHN-F6 pink

**Current version :** 2.0.0, issued: 12.04.2023

**Replaced version:** 1.0.0, issued: 05.10.2022

**Region:** GB

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.  
The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

L	The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
---	--

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 789570