

CLEENOL

For a cleaner, safer world

SAFETY DATA SHEET CLASSMATES TOILET DESCALER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CLASSMATES TOILET DESCALER
Internal identification	08292B/G379
Container size	6x1L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Toilet cleaner and descaler.
Uses advised against	Not suitable for use on stainless steel or chrome.

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word	Danger
-------------	--------

Hazard statements	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
-------------------	--

CLASSMATES TOILET DESCALER

Precautionary statements

P261 Avoid breathing vapour/ spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
 Rinse skin with water or shower.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains

HYDROCHLORIC ACID ...%, 2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P310 Immediately call a POISON CENTER/ doctor.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROCHLORIC ACID ...%			10-30%
CAS number: 7647-01-0	EC number: 231-595-7	REACH registration number: 01-2119484862-27-XXXX	
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335			
2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL			1-5%
CAS number: 25307-17-9	EC number: 246-807-3	REACH registration number: 01-2119510876-35-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification Acute Tox. 4 - H302 Skin Corr. 1A - H314 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			

CLASSMATES TOILET DESCALER

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))		<1%
CAS number: 68424-85-1	EC number: 270-325-2	
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
PHOSPHORIC ACID ... 65%		<1%
CAS number: 7664-38-2	EC number: 231-633-2	
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Keep affected person under observation. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention immediately.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Wash contaminated clothing before reuse.
Eye contact	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause respiratory irritation.
Ingestion	Corrosive. Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.

CLASSMATES TOILET DESCALER

5.2. Special hazards arising from the substance or mixture

Specific hazards Corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Harmful to aquatic life. Avoid discharge to the aquatic environment. Avoid contamination of ponds or watercourses with washing down water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Handle and open container with care. Avoid contact with skin, eyes and clothing. Avoid breathing vapours.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Keep container in a well-ventilated place. Store at temperatures between 0°C and 40°C.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

HYDROCHLORIC ACID ...%

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2 mg/m³ gas and aerosol mists

Short-term exposure limit (15-minute): WEL 5 ppm 8 mg/m³ gas and aerosol mists

CLASSMATES TOILET DESCALER

PHOSPHORIC ACID ... 65%

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC).

Hygiene measures

Wash promptly if skin becomes contaminated.

Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Blue.
Odour	Acidic.
pH	pH (concentrated solution): < 0.5
Initial boiling point and range	100°C
Flash point	Not applicable.
Flammability (solid, gas)	Not applicable.
Relative density	1.06 - 1.07 @ 20°C
Solubility(ies)	Miscible with water.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	200 - 300 cP @ 20°C Slightly viscous.
Explosive properties	Not applicable.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	23 - 25
------------------	---------

CLASSMATES TOILET DESCALER

Volatile organic compound This product contains a maximum VOC content of <0.1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials:
Strong acids.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use.

10.5. Incompatible materials

Materials to avoid Chemically-active metals.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 17,857.14

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Extreme pH ≤ 2

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation May cause respiratory irritation.

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

Toxicity Very toxic to aquatic organisms.

CLASSMATES TOILET DESCALER

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable. The product contains inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods The product is designed and intended for disposal to public sewer after use.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	3264
UN No. (IMDG)	3264
UN No. (ICAO)	3264
UN No. (ADN)	3264

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS HYDROCHLORIC ACID ...%, 2,2'-(OCTADEC-9-ENYLIMINO) BIETHANOL)

Proper shipping name (IMDG) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS HYDROCHLORIC ACID ...%, 2,2'-(OCTADEC-9-ENYLIMINO) BIETHANOL, QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES)

Proper shipping name (ICAO) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS HYDROCHLORIC ACID ...%, 2,2'-(OCTADEC-9-ENYLIMINO) BIETHANOL)

Proper shipping name (ADN) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS HYDROCHLORIC ACID ...%, 2,2'-(OCTADEC-9-ENYLIMINO) BIETHANOL)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C1
ADR/RID label	8
IMDG class	8
ICAO class/division	8

CLASSMATES TOILET DESCALER

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

IMDG Code segregation group 1. Acids

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number (ADR/RID) 80

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

CLASSMATES TOILET DESCALER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
 Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
 Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended).
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
 Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Guidance

EH40/2005 Workplace exposure limits
 Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)
 Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 22/02/2021

Revision 9

Supersedes date 22/06/2020

SDS number 21587

Hazard statements in full H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.