

SAND WEIGHTED CONE

Available in three sizes: 50cm, 75cm & 1m

SAND WEIGHTED ONE PIECE CONE CONTAINED IN A SEALED MOULDED BASE

**TECHNICAL
SPECIFICATION**

TRAFFIC MANAGEMENT

INSTRUCTIONS FOR USE

Distribute cones as per requirements and the requirements of:

The Traffic Signs Regulations and General Directions 2002

Safety at Street Works and Road Works

When used as described above, this cone will meet those requirements. Both are published by 'The Stationary Office'

SAND WEIGHTED CONE MATERIALS

Cone: Linear Low Density Polyethylene

Sealbrite Sleeve: PVC, Metalised ink and Glass Beads

Sock: Sand Filled Polythene



DIMENSIONS OF SAND WEIGHTED CONE

Small:

Height: 50cm

Weight: 1.9kg

Base Dimensions: 29cm x 30cm

Pallet Quantity: 450

Medium:

Height: 75cm

Weight: 4.3kg

Base Dimensions: 39cm x 44cm

Pallet Quantity: 150

Large:

Height: 1 Metre

Weight: 6kg

Base Dimensions: 43cm x 55cm

Pallet Quantity: 100

SAND WEIGHTED CONE FEATURES

One piece cone complete with Sealbrite™ sleeve featuring pocketed design to limit water ingress should the outer protective layer become damaged, ensuring continued performance

Sand weighting contained in a sealed moulded base

JSP Sand weighted cones can be embossed with a company name or logo acting as a anti-theft deterrent and strengthening corporate identity

The sand weighted cone is available in a variety of colours

CLEANING & MAINTENANCE

Clean with a warm soapy cloth and allow to air dry

Keep clean and in a suitable environment

SAND WEIGHTED CONE CONFORMITY

Meets the requirements of BS 873 Part 8: 1985

Production is carried out under an ISO 9001 quality system

Quality System Testing is carried out in accordance with BS 873 Part 8: 1985

The cone sleeve meets the requirements of BS 873 : Part 6 : 1983 Category A, Designation 2. and EN 13422 B/LB WT0 R1B



MANUFACTURING FOR SAFETY
WWW.JSP.CO.UK



UKSALES@JSP.CO.UK
TEL: +44 (0)1993 826050



Issued 20/03/18, V4