# Grant

## JB Nova - 5L, 12L, 18L and 26L

PERFORMANCE
INTUITIVE
QUALITY
PRACTICAL
CONVENIENT
VALUE

- > Set and Forget<sup>™</sup> technology fast heat-up, reliable temperature control
  - > Simple to use controls, clear bright display
  - > 3 year warranty, UK design and manufacture
  - > Display lock disables front panel controls
- > Drain tap, tray and lid included. Suitable for use with heat transfer beads
- > Advanced dry start and run dry protection prevents costly service repairs







## Applications

- Education school/college university teaching lab
- Healthcare sample warming
- Industry QA/QC testing

Ideal choice for schools and colleges


Specifications					
	JBN5	JBN12	JBN18	JBN26	
CE	3 kg l: 215 mm w: 335 mm h: 200 mm	6 kg l: 380 mm w: 360 mm h: 225 mm	9 kg l: 590 mm w: 335 mm h: 275 mm	9 kg I: 590 mm w: 335 mm h: 275 mm	
Capacity	5L	12L	18L	26L	
Temperature range	ambient +5 to 95°C				
Temperature display and setting resolution	0.5°C				
Stability (DIN 12876-3 @70 °C)	±0.5°C				
Working area (I x w) mm	131 x 281	281 x 306	485 x 281	481 x 278	
User defined calibration points	1	1	1	1	
Drain tap	-	•	•	•	
Heater power 230V/120V (kW)	0.35 / 0.35	0.8 / 0.8	1.4 / 1.05	1.4 / 1.05	
Supply voltage (V)	120 or 230 (50-60Hz)				

Accessories (full range available on website)

#### Flat lid with ring sets

Variable hole diameter to accommodate tall vessels whilst reducing evaporation





Polypropylene spheres



#### available for 0.5 to 1.5 ml microtubes or 10 to 30 mm Ø

Test tube racks

tubes

Stainless steel - range of sizes





#### **Drain stopper**

Recommended when using heat transfer beads, to prevent beads entering drain hole



### Alternative water bath ranges:



JB Nova - basic

- Simple and practical, great value
- 3 bath sizes: 5L, 12L, 18L

#### SUB Aqua Pro - advanced range

- Temperature range amb. +5 to 99°C
- Stability ±0.2°C
- 8 bath sizes: 2L, 2L shallow, 5L, 12L, 18L, 26L, 5L & 12L dual bath
- 3 temperature presets
- User defined high temperature alarm and cutout



**Call us:** + 44 (0) 1763 264 741

Email: salesdesk@grantinstruments.com

