

# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 1 / 10

# Safety data sheet according to Regulation (EC) No. 1907/2006

# SECTION 1. Identification of the substance/mixture and of the company/undertaking.

## 1.1. Product identifier.

Code.

Product name.

Chemical name and synonym.

INDEX number.

EC number.

CAS number.

Registration Number.

NITRIC ACID SOLUTION

NITRIC ACID 2.73%

NO7-004-00-1

231-714-2

7697-37-2

Registration Number.

01-2119487297-23

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Intended use. Acid used to adjust pH of sample before being tested..

1.3. Details of the supplier of the safety data sheet.

Name. Hanna Instruments S.R.L.

Full address. str. Hanna Nr 1

District and Country. 457260 loc. Nusfalau (Salaj)

Romania

Tel. (+40) 260607700 Fax. (+40) 260607700

e-mail address of the competent person.

responsible for the Safety Data Sheet. msds@hanna.ro

1.4. Emergency telephone number.

For urgent inquiries refer to. Emergency Number - International: +(1)-703-527-3887 - UK, London:

+(44)-870-8200418 - CHEMTREC 24 hours/365 days

## **SECTION 2. Hazards identification.**

# 2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Substance or mixture corrosive to metals, category 1 H290 May be corrosive to metals.

Skin corrosion, category 1A H314 Causes severe skin burns and eye damage. Eye irritation, category 2 H319 Causes serious eye irritation.

H319 Causes serious eye irritation.
Note B

# 2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

©EPY 9.3.0 - SDS 1003





# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr 2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 2/10

SECTION 2. Hazards identification. .../>>

Precautionary statements:

Wear protective gloves, protective clothing, eye protection and face protection.

Wear protective gloves, protective clothing, eye protection and face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P391 Collect spillage.

INDEX. 007-004-00-1

#### 2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### SECTION 3. Composition/information on ingredients.

#### 3.1. Substances.

Contains:

Identification. x = Conc. %. Classification 1272/2008 (CLP)

NITRIC ACID

7697-37-2 CAS. Ox. Lig. 3 H272. Met. Corr. 1 H290. Acute Tox. 3 H331. Skin Corr. 1A H314. EUH071. Note B

FC 231-714-2 INDEX. 007-004-00-1 01-2119487297-23 Reg. no.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

3.2. Mixtures.

Information not relevant.

# **SECTION 4. First aid measures.**

## 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

## 4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown.

For symptoms and effects caused by the contained substances, see chap. 11.

NITRIC ACID

NITRIC ACID 65%: Irritation and corrosion, Cough, Shortness of breath, Bloody vomiting, death, Risk of blindness! The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

## 4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## **SECTION 5. Firefighting measures.**

## 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

## 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

NITRIC ACID



# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 3 / 10

SECTION 5. Firefighting measures. .../>>

NITRIC ACID 65%: Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: nitrous gases, nitrogen oxides.

#### 5.3. Advice for firefighters.

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION** 6. Accidental release measures.

## 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

## 7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany): 8A

## 7.3. Specific end use(s).

Information not available.

# **SECTION 8. Exposure controls/personal protection.**

# 8.1. Control parameters.

Regulatory References:

AUS	Österreich	Grenzwerteverordnung 2011 - GKV 2011
BEL	Belgique	AR du 11/3/2002. La liste est mise à jour pour 2010
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail 2014. / Grenzwerte am Arbeitsplatz
CZE	Česká Republika	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
DNK	Danmark	Graensevaerdier per stoffer og materialer
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
EST	Eesti	Töökeskkonna keemiliste ohutegurite piirnormid 1. Vastu võetud 18.09.2001 nr 293 RT I 2001, 77,
		460 - Redaktsiooni jõustumise kp: 01.01.2008
FIN	Suomi	HTP-arvot 2012. Haitallisiksi tunnetut pitoisuudet - Sosiaali- ja terveysministeriön julkaisuja 2012:5
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102



LTU

# Hanna Instruments S.R.L.

# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 4 / 10

SECTION 8. Exposure controls/personal protection. ..../>

GBR United Kingdom EH40/2005 Workplace exposure limits

GRC Ελλάδα ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012

HRV Hrvatska NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva

HUN Magyarország 50/2011. (XII. 22.) NGM rendelet a munkahelyek kémiai biztonságáról

IRL Éire Code of Practice Chemical Agent Regulations 2011

ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

Lietuva DĖL LIETUVOS HIGIENOS NORMOS HN 23:2007 CHEMINIŲ MEDŽIAGŲ 2007 m. spalio 15 d.

Nr. V-827/A1-287

NLD Nederland Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18

NOR Norge Veiledning om Administrative normer for forurensning i arbeidsatmosfære

POL Polska ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r

ROU România Monitorul Oficial al României 44; 2012-01-19
SVN Slovenija Uradni list Republike Slovenije 15. 6. 2007
SWE Sverige Occupational Exposure Limit Values, AF 2011:18

EU OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.

TLV-ACGIH ACGIH 2016

#### **NITRIC ACID**

hreshold Limit \	Value.						
Type	Country	TWA/8h		STEL/15			
		mg/m3	ppm	mg/m3	ppm		
MAK	AUS			2,6	1		
VLEP	BEL			2,6	1		
VEL	CHE	5	2	5	2		
MAK	CHE	5	2	5	2		
TLV	CZE	1		2,5			
AGW	DEU	2,6	1				
MAK	DEU		2		2		
TLV	DNK	2,6	1				
VLA	ESP			2,6	1		
TLV	EST			2,6	1		
HTP	FIN	1,3	0,5	2,6	1		
VLEP	FRA			2,6	1		
WEL	GBR			2,6	1		
TLV	GRC			2,6	1		
GVI	HRV			2,6	1		
AK	HUN	5		5			
OEL	IRL			2,6	1		
VLEP	ITA			2,6	1		
RD	LTU			2,6	1		
OEL	NLD			1,3			
TLV	NOR	5	2				
NDS	POL	1,4		2,6			
TLV	ROU			2,6	1		
MV	SVN	2,6	1				
MAK	SWE	5	2	13	5		
OEL	EU			2,6	1		
TLV-ACGIH		5,2	2	10,3	4		
124 /100111				-,-			

#### Health - Derived no-effect level - DNEL / DMEL Effects on consumers. Effects on workers Route of exposure Acute local Acute Chronic Chronic Acute local Acute systemic Chronic Chronic systemic local systemic local systemic VND 0,65 VND 2.6 Inhalation 1.3

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

mg/m3

## 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

mg/m3

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

mg/m3



## **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 5 / 10

SECTION 8. Exposure controls/personal protection. ..../>

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties.**

## 9.1. Information on basic physical and chemical properties.

Colour colourless Odour odourless Odour threshold. Not available 0.8 pH. Melting point / freezing point. Not available Initial boiling point. Not available. Boiling range. Not available. Flash point. 60 Not available. Evaporation rate Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available Lower explosive limit. Not available Upper explosive limit. Not available. Vapour pressure. 17.68 Not available. Vapour density Relative density 1,00 soluble in water Solubility Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available Decomposition temperature. Not available Viscosity Not available. Explosive properties Not available. Oxidising properties Not available 9.2. Other information. 2,73 % Total solids (250°C / 482°F)

# **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

NITRIC ACID

NITRIC ACID 65%: Decomposes at 84°C/183°F with possibility of self-ignition.

## 10.2. Chemical stability.

VOC (Directive 2010/75/EC) : VOC (volatile carbon) :

Information not available.

## 10.3. Possibility of hazardous reactions.

The product may react violently with water.

### 10.4. Conditions to avoid.





# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 6 / 10

## SECTION 10. Stability and reactivity. .../>>

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

NITRIC ACID

NITRIC ACID 65%: Exposure to heat and light.

#### 10.5. Incompatible materials.

NITRIC ACID

NITRIC ACID 65%: Flammable substances, reducing substances, alcohol, basic substances and metals; acetone, acetic acid, acetic anhydride and certain plastics.

### 10.6. Hazardous decomposition products.

NITRIC ACID

NITRIC ACID 65%: Nitric oxides.

# **SECTION 11. Toxicological information.**

#### 11.1. Information on toxicological effects.

NITRIC ACID

NITRIC ACID 65% - Acute oral toxicity, Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach - Acute inhalation toxicity, Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages, damage of respiratory tract, After a latency period, Inhalation may lead to the formation of oedemas in the respiratory tract.

## ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: > 20 mg/l

LC50 (Inhalation - mists / powders) of the mixture:

LD50 (Oral) of the mixture:

Not classified (no significant component).

Not classified (no significant component).

Not classified (no significant component).

NITRIC ACID

LC50 (Inhalation). 67 ppm/4h Rat

## SKIN CORROSION / IRRITATION.

Corrosive for the skin

### SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye irritation.

# RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

## GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

## CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

## REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

# STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

### STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

#### ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.



# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 7 / 10

# **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

## 12.1. Toxicity.

NITRIC ACID

EC50 - for Crustacea. 180 mg/l/48h

#### 12.2. Persistence and degradability.

NITRIC ACID

Solubility in water. > 1000000 mg/l

Biodegradability: Information not available.

#### 12.3. Bioaccumulative potential.

NITRIC ACID

Partition coefficient: n-octanol/water. < 3

#### 12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects.

NITRIC ACID

NITRIC ACID 65%: Biological effects: Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Does not cause biological oxygen deficit. Hazard for drinking water supplies.

# **SECTION 13. Disposal considerations.**

## 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information.**

### 14.1. UN number.

ADR / RID, IMDG, IATA: 2031

## 14.2. UN proper shipping name.

ADR / RID: NITRIC ACID SOLUTION IMDG: NITRIC ACID SOLUTION IATA: NITRIC ACID SOLUTION



# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 8 / 10

### SECTION 14. Transport information. .../>>

#### 14.3. Transport hazard class(es).

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



## 14.4. Packing group.

ADR / RID, IMDG, IATA:

#### 14.5. Environmental hazards.

ADR / RID: NO IMDG: NO IATA: NO

#### 14.6. Special precautions for user.

ADR / RID: HIN - Kemler: 80 Limited Quantities: 1 L Tunnel restriction code: (E)

Special Provision: 
IMDG: EMS: F-A, S-B Limited Quantities: 1 L

IATA: Cargo: Maximum quantity: 30 L

ATA: Cargo: Maximum quantity: 30 L Packaging instructions: 855
Pass.: Maximum quantity: Forbidden Packaging instructions: Forbidden

Special Instructions: A

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

# **SECTION 15. Regulatory information.**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC: None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.

Point.

Substances in Candidate List (Art. 59 REACH).

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (VwVwS 2005).

WGK 1: Low hazard to waters Substance listed in Annex 2.



# **NITRIC ACID SOLUTION - Nitric Acid Solution**

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 9 / 10

SECTION 15. Regulatory information. .../>>

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

#### **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 3 Oxidising liquid, category 3

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 3 Acute toxicity, category 3
Skin Corr. 1A Skin corrosion, category 1A
Eye Irrit. 2 Eye irritation, category 2
H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.
EUH071 Corrosive to the respiratory tract

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition

ΕN



# Hanna Instruments S.R.L.

# NITRIC ACID SOLUTION - Nitric Acid Solution

Revision nr.2 Dated 10/04/2017 Printed on 10/04/2017 Page n. 10 / 10

## SECTION 16. Other information. .../>>

- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 02 / 08 / 09 / 14.

Changed TLVs in section 8.1 for following countries:

C7F