



Think ahead.

Tork Blue Singlefold Hand Towel

290186



Description

Satisfy hand drying needs with the Advanced Tork Singlefold Hand Towels ensure the right quality for when cost and performance are equally important. These towels are suitable for the Tork Singlefold Hand Towel Dispenser for demanding environments. Help control consumption and promote good hygiene with reliable one-at-a-time dispensing.

- Attractive Tork Leaf décor: designed to make a great impression
- Advanced quality for cost savings and high performance
- Many towels per bundle: Serves more and requires less frequent refilling
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Advanced
- Embossing
- 100% recycled

Certifications



For Wiping

Tork
Advanced

Product Details

System	H3
--------	----

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540781847	7322540781823	7322542031742
Packaging Material	Banderole	Carton	-
Pieces	250	3750 (15 CON)	93750 (25 TRP)
Height	130 mm	234 mm	1,331 mm
Length	115 mm	593 mm	1,200 mm
Width	225 mm	403 mm	1,000 mm
Gross Weight	499.19 g	7.96 kg	199.03 kg
Net Weight	491.63 g	7.37 kg	184.36 kg
Volume	3.36 dm3	55.92 dm3	1.6 m3
Layers Per Pallet	-	-	5
TRP Per Layer	-	-	5

Compatible Products



Tork Singlefold HT Disp Metal
White
208140



Tork Singlefold Hand Towel Disp
White
553000



Tork Mini Singlefold HT Disp
White
553100



Tork Mini Singlefold HT Disp
Black
553108

Environmental Information

Content	The product is made from Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibres Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp.Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: Wet strength agents (for Wipers and Hand Towels) Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers) For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added For printed products printing inks (pigments with carriers and fixatives) are applied For multi ply products we often use water soluble glue to secure the integrity of the product In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper. We do not use softeners for professional hygiene products. High product quality is secured through quality and hygiene management systems throughout production, storage and transport. In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids: defoamers (surfactants and dispersing agents) pH-control (sodium hydroxide and sulphuric acid) retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss) Coating chemicals (that help to control the creping of the paper to make it soft and absorbent) To reuse broke and to utilise recovered fibres we use: Pulping aid (chemicals that help to repulp wet strong paper) Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper) Bleaching agents (to increase the brightness of pulp from recovered paper) In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.
Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by

external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Article creation date and latest article revision

Date of issue: 21-07-2022
 Revision date: 24-01-2024

Production

This product is produced at Prudhoe mill, GB and certified according to ISO 9001, ISO 14001 (Environmental management systems), BRC-IoP, OHSAS 18001 and FSC Chain-Of-Custody.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom

This product is certified for FSC® with certificate number SA-COC-008266. This product is certified with the EU Ecolabel with certificate number SE/004/001.

Environmental certification