# ooo philip harris

# SAFETY DATA SHEET

**UNIVERSAL INDICATOR 1-14** 

Page: 1

Compilation date: 25/03/2021

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name: UNIVERSAL INDICATOR 1-14

Product code: B8R04780

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals. ERC1: Manufacture of substances

# 1.3. Details of the supplier of the safety data sheet

2 Gregory Street Hyde Cheshire SK14 4HR

- United Kingdom
- Tel: +44 (0)845 1200 506
- Fax: +44 (0)161 367 2140
- Email: enquiries@philipharris.co.uk

# **1.4. Emergency telephone number**

Emergency tel: +44 (0) 845 1200 506

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225

Most important adverse effects: Highly flammable liquid and vapour.

# 2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

Signal words: Danger

Hazard pictograms: GHS02: Flame



Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P240: container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.

# UNIVERSAL INDICATOR 1-14

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+378: In case of fire: Use to extinguish.

# 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

# ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	70-90%

#### METHANOL - REACH registered number(s): 01-2119433307-44-XXXX

200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3:	1-10%
			H331; Acute Tox. 3: H311; Acute Tox.	
			3: H301; STOT SE 1: H370	

Contains: Formula : C2H6O

Molecular weight : 46.07 g/mol

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

- Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
  - **Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
  - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

- **Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.
- Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# **UNIVERSAL INDICATOR 1-14**

Page: 3

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

# 5.1. Extinguishing media

**Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

Vapour may travel considerable distance to source of ignition and flash back.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Smoking is forbidden. Use non-sparking tools.

# **UNIVERSAL INDICATOR 1-14**

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

8.1. Control parameters

#### Hazardous ingredients:

# ETHANOL

# Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

**Respirable dust** 

# METHANOL

UK 266 mg/m3 333 mg/m3 -	-	
--------------------------	---	--

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

# 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
	equipment are not a source of ignition.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Impermeable gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Impermeable protective clothing.
Environmental:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
	Discharge into the environment must be avoided.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- State: Liquid
- Colour: Colourless

Odour: No data available

- Evaporation rate: No data available.
- Oxidising: No data available.
- Solubility in water: Soluble

Viscosity: No data available.

**UNIVERSAL INDICATOR 1-14** 

Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	3.3	upper:	19
Flash point°C:	20	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	363	Vapour pressure:	59.5
Relative density:	0.7974	pH:	No data available.
VOC g/I:	No data available.		

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

# 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

# METHANOL

IVN	RAT	LD50	2131	mg/kg
-----	-----	------	------	-------

## [cont...]

Page: 5

# UNIVERSAL INDICATOR 1-14

Page: 6

ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur. There may be vomiting.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Other information:	Central nervous system depression, narcosis, Nausea, Dizziness, Damage to the
	heart., Gastrointestinal
	disturbance, May cause convulsions

# Section 12: Ecological information

# 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Dispose of as unused product.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **UNIVERSAL INDICATOR 1-14**

Page: 7

Marine pollutant: No

# Section 14: Transport information

14.1. UN number

UN number: UN1993

#### 14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

# 14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 1

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## Section 16: Other information

#### Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H301: Toxic if swallowed.
	H311: Toxic in contact with skin.
	H331: Toxic if inhaled.
	H370: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state of<="" route="" th=""></state></or>
	exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.