



Infinity Panel User Guide

This guide has been written to help you get the most from your Infinity Panel. Please ensure that you read this fully as it contains important information on fixing the panel to your wall. Failure to follow this advice may result in damage to the panel and invalidate your warranty.

Keep this guide in a safe place for future reference.

Contents

Unpacking	3
Setting up	4
Potential risks & warnings	5
Contact details	6

Unpacking

1. The Infinity Panels are shipped in specialist packaging, designed to protect it from damage during transport.
2. Ensure that the Infinity Panel is carefully removed from the outer packaging. Keep the packaging in case the Product needs to be returned.
3. Take care not to lift the Infinity panel by the sides as this can cause damage. Always lift from the top and bottom.
4. The power supply (**12V DC 1.5A**) will be found taped in the bottom of the panel. This power lead is around 1.5M in length. You will also find the hanging bracket packed at the back of the panel, in the top section.
5. Any extras that have been ordered alongside the panel will be sent out in a separate box.
6. If you find any damage when you unpack you should report it within **7 days** to your supplier.
7. If repairs are not completed by Apollo Creative this will void warranty and we will not be held liable for any damage or injury caused.

Setting up

1. The Infinity Panel must be attached to a solid wall using fixings appropriate to the construction of the solid wall. These are not supplied by Apollo Creative.
2. Attach the metal bar to the wall, ensuring accurate measurements. The Infinity Panel should be hung on this bar once it is attached to the solid wall correctly.
3. Please note that when hanging the panel we recommend a minimum of 50mm from the floor to allow for the height.
4. Large enclosures such as Tubes and Panels are to be secured against falling by use of wall mounting brackets, mounting enclosure into fabricated plinths or similar supports. (**Sold separately**).
5. Ensure that the power supply is sited at an adequate distance from the Infinity Panel and that there is no tension in the power cable.
6. The cable should never be coiled around the power supply, as this may cause it to overheat.
7. The Infinity Panel is now ready to use.
8. In the unlikely event of the panel not working fully, please contact your supplier within **7 days** of receiving the panel.

Potential risks & warnings

1. Read and understand all these instructions before using the Infinity Panel.
2. Do not operate the panel with a damaged power cord, or if the unit has been dropped or damaged.
3. Position the power cord so that it will not be tripped over, pulled or come into contact with hot surfaces.
4. Always unplug the wall from the power socket before cleaning, servicing and when not in use. Never yank the cord to pull the plug from the outlet. Grasp the plug and pull to disconnect.
5. Always connect the Infinity Panel to a grounded outlet.
6. To reduce the risk of electrical shock, do not immerse the product in water or other liquids.
7. Do not dismantle the Infinity Panel, but contact the supplier or manufacturer if servicing is required. Incorrect assembly can cause electrical shock when the product is used.
8. This developmental aid appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or Instruction concerning use of the developmental aid appliance in a safe way and understand the hazards involved.
9. Children below this age must be supervised when using this developmental aid appliance. Cleaning and user maintenance shall not be made by children.
10. **Warning:** Only use the detachable supply unit **(12V DC 1.5A)** provided with this appliance

This Infinity Panel is supplied by:



We are a member of the WEEE
Compliance scheme

Registration : **WEE / MM4751AA**

Manufactured by:

Apollo Creative
Merlin House
Low Moor Lane
Knaresborough
North Yorkshire
HG5 9JB

T: 01423 798232

E: sales@apollocreative.co.uk

W: www.apollocreative.co.uk

