

TEST REPORT

Report No.: BCTC2308981265-2R

Applicant: Bless Technology Co., Ltd.


Product Name: Digital camera



Product Type: BX-D18

Tested Date: 2023-07-28 to 2023-08-04

Issued Date: 2023-08-18

Shenzhen BCTC Testing Co., Ltd.



Product Name	Digital camera
Product Type	BX-D18
Additional Type	BLS-C13, BLS-C23, BLS-C22, BLS-OE3, BLS-OL3, BLS-DC8, BLS-DC403, BLS-DC402, BLS-DC600, BLS-DC101L, BLS-WP09, BLS-WP06
Applicant	Bless Technology Co., Ltd.
Address	Building C, Huixin Industrial Zone, Yonghe Road, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, China
Manufacturer	Bless Technology Co., Ltd.
Address	Building C, Huixin Industrial Zone, Yonghe Road, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, China
Trademark	/
Sample Received Date	2023-07-28
Test Type	Entrustment Test
Test Method	Please refer to the following page(s).
Test Requested	<ol style="list-style-type: none"> As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted sample(s) by XRF. As specified by client, when screening results exceed the XRF screening limit in BS EN 62321-3-1:2014, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the submitted samples. As specified by client, to test the Diisobutyl phthalate(DIBP), Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Bis(2-ethylhexyl) phthalate(DEHP) in the submitted sample(s).
Test Standard	UK RoHS - The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (SI 2012 No. 3032) and the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (Amendment) Regulations 2021 (SI 2021 No. 1395)
Test Result	The samples were tested according to the entrusted requirements and test standard, and the test items of the test samples were qualified.
Prepared by:	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  _____ Rose </div> <div style="text-align: center;">  _____ Saher Chen </div> </div>

Test Method:
A. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to BS EN 62321-3-1:2014.

Element	Screening limits of BS EN 62321-3-1:2014 Unit (mg/kg)		MDL	
	Polymers and metals	Composite material	Polymers	Other material
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	10 mg/kg	50 mg/kg
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$	10 mg/kg	50 mg/kg
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	10 mg/kg	50 mg/kg
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$	10 mg/kg	50 mg/kg
Br	$BL \leq (300-3\sigma) < X$	$BL \leq (250-3\sigma) < X$	10 mg/kg	50 mg/kg

Note:

- BL = Under the XRF screening limit
- OL = Further chemical test will be conducted while result is above the screening limit
- X= The symbol "X" marks the region where further investigation is necessary
- 3σ= The reproducibility of analytical instruments
- LOD= Detection limit
- "-" = Not regulated.

 BCTC
 3C
 PPR
 检测

B. Chemical Test

Test Item(s)	Test Method	Measured Equipment(s)	MDL	Limit
Lead (Pb)	BS EN 62321-5:2014	ICP-OES	2 mg/kg	1000 mg/kg
Cadmium (Cd)	BS EN 62321-5:2014	ICP-OES	2 mg/kg	100 mg/kg
Mercury (Hg)	BS EN 62321-4:2014+A1:2017	ICP-OES	2 mg/kg	1000 mg/kg
Hexavalent Chromium Cr(VI)	BS EN 62321-7-1:2015	UV-VIS	--	1000 mg/kg
	BS EN 62321-7-2:2017		8 mg/kg	1000 mg/kg
Polybrominated Biphenyls (PBBs)	BS EN 62321-6:2015	HPLC-UV	5 mg/kg	1000 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	BS EN 62321-6:2015	HPLC-UV	5 mg/kg	1000 mg/kg
Diisobutyl phthalate (DIBP)	BS EN 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg
Dibutyl phthalate (DBP)	BS EN 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg
Butyl benzyl phthalate (BBP)	BS EN 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg
Bis(2-ethylhexyl) phthalate (DEHP)	BS EN 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg

Test Result(s):


Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
1	Black plastic (outside shell)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
2	Transparent plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
3	Silver plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	3601	N.D.	
		Br(PBBs&PBDEs)	BL	/	
4	Transparent plastic (flash lamp)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
5	Silver plastic button	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	2728	N.D.	
		Br(PBBs&PBDEs)	BL	/	
6	Black rubber plug	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
7	Black plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	

8	Silver metal sheet	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	119084	Negative	
		Br(PBBs&PBDEs)	/	/	
9	Red wire jacket	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
10	Transparent glass (lamp)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
11	Transparent silicone ring	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
12	Black wire jacket	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
13	White wire jacket	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
14	Silver metal	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
15	Transparent plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	

CO.,LTD

16	Black plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
17	Display screen	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
18	Yellow FPC	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
19	Black plastic (shot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
20	Silver plastic (shot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
21	Transparent plastic (shot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
22	Silver plastic ring (shot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
23	Silver metal shell (motor)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	3972	Negative	
		Br(PBBs&PBDEs)	/	/	

24	Red wire jacket (horn)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
25	Black wire jacket (horn)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
26	Black plastic (horn)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
27	Silver metal (horn)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
28	Green PCB	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	4107	N.D.	
29	Gold metal sheet	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
30	Silver metal (SD card slot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	115372	Negative	
		Br(PBBs&PBDEs)	/	/	
31	Gray-black plastic (SD card slot)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	



32	Silver metal (USB-C)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	76684	Negative	
		Br(PBBs&PBDEs)	/	/	
33	Black outside wire jacket (data cable)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
34	Silver metal (USB-A)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	/	/	
35	Silver metal (USB-C)	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI))	70832	Negative	
		Br(PBBs&PBDEs)	/	/	

Tested Item(s)	Results							
	Unit (mg/kg)							
	1	2	3	4	5	6	7	9
Diisobutyl phthalate(DIBP) CAS No.:84-69-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibutyl phthalate(DBP) CAS No.:84-74-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Butyl benzyl phthalate(BBP) CAS No.:85-68-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Bis(2-ethylhexyl) phthalate(DEHP) CAS No.:117-81-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Tested Item(s)	Results							
	Unit (mg/kg)							
	10	11	12	13	15	16	17	18
Diisobutyl phthalate(DIBP) CAS No.:84-69-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibutyl phthalate(DBP) CAS No.:84-74-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Butyl benzyl phthalate(BBP) CAS No.:85-68-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Bis(2-ethylhexyl) phthalate(DEHP) CAS No.:117-81-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Tested Item(s)	Results								
	Unit (mg/kg)								
	19	20	21	22	24	25	26	28+ 31	33
Diisobutyl phthalate(DIBP) CAS No.:84-69-5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibutyl phthalate(DBP) CAS No.:84-74-2	N.D.	N.D.	N.D.	N.D.	269	N.D.	N.D.	N.D.	N.D.
Butyl benzyl phthalate(BBP) CAS No.:85-68-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Bis(2-ethylhexyl) phthalate(DEHP) CAS No.:117-81-7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Note:

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

-" / " = Not conducted.

-Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than $0.1\mu\text{g}/\text{cm}^2$ with 50cm^2 sample surface area used.

-Positive = Presence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is equal to or greater than $0.13\mu\text{g}/\text{cm}^2$ with 50cm^2 sample surface area used.



Remark:



-The screening results are only used for reference.

-When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.

Test Process:


The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

◆ BS EN 62321-5:2014

◆ BS EN 62321-4:2014+A1:2017



◆ BS EN 62321-7-1:2015

◆ BS EN 62321-7-2:2017


CO.LTD

◆BS EN 62321-6:2015



◆BS EN 62321-8:2017



Photograph of Sample



Fig.1



Fig.2



Photo(s) of the tested component(s)





Fig.3



Fig.4

TC
3C
PPR
測






Fig.5





Fig.6

TEC
TC
OVER
檢






Fig.7




Fig.8






Fig.9




Fig.10




Fig.11





Fig.12






Fig.13




Fig.14

BCTC
BC
APPR
停測





Fig.15



STATEMENT

1. The equipment lists are traceable to the national reference standards.
2. The test report can not be partially copied unless prior written approval is issued from our lab.
3. The test report is invalid without the "special seal for inspection and testing".
4. The test report is invalid without the signature of the approver.
5. The test process and test result is only related to the Unit Under Test.
6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
7. The quality system of our laboratory is in accordance with ISO/IEC17025.
8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL : 400-788-9558

P. C. : 518103

FAX : 0755-33229357

Website : <http://www.chnbctc.com>

E-Mail : bctc@bctc-lab.com.cn

※※※※※ END ※※※※※

