

TEST REPORT



Applicant: HASBRO S.A. / HASBRO INTERNATIONAL
TRADING B.V.
LEVELS L18-L20 HANG SENG TOWER
TELFORD PLAZA
33 WAI YIP ST
KOWLOON BAY KLN HK
Attn: ROCKY CHIU

Number: HKGH0307977505

Date: Dec 19, 2023

Submitted samples said to be :
Item name : **PD 1 OZ 15 COUNT BAG.**
Item no. : **18367.**
Labelled age group : AGE 2+.
Packaging provided : Yes.
Vendor name : Kam Hung.
Vendor code : ZC-029.
Factory code : A.
Date code : 33381.
Buyer : Hasbro.
Country of origin : CHINA.
Quantity : 10 pieces.
Remark : RN.

For and on behalf of :
Intertek Testing Services HK Ltd.

Dorothy M.Y. Lau
Vice President





TEST REPORT

Number : HKGH0307977505

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN 71-1:2014 + A1:2018 Mechanical and physical properties	Pass
(2) EN 71-2:2020 - Flammability Test	Pass
(3) EN 71-3 : 2019 + A1 : 2021 - Migration of certain elements	Pass

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rule-doc..>

If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.





TEST REPORT

Number : HKGH0307977505

(1) Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For Ages Over 2 Years

Clause	Testing Items
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.5	Drop test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA





TEST REPORT

Number : HKGH0307977505

Clause	Requirement	Assessment
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation : P = Pass NA = Not Applicable





TEST REPORT

Number : HKGH0307977505

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Absent	Present
Importer's name	Present	Present
Importer's address	Absent	Present
Product identification code	Present	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was not found on the submitted samples.





TEST REPORT

Number : HKGH0307977505

Hasbro additional assessment for small part

Test method : EN71 part 1 : 2014 + A1 : 2018 clause 5.1, the submitted sample with labelled age group covered 3 to under 6 years was assessed for small part before and after abuse test.

Assessment : Not applicable.

Date sample received : Dec 11, 2023
Test Period : Dec 11, 2023 to Dec 15, 2023

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Dec 11, 2023
Test Period : Dec 11, 2023 to Dec 15, 2023





TEST REPORT

Number : HKGH0307977505

(3) 19 Toxic Element Migration Test

Test Method : EN 71-3 : 2019 + A1 : 2021. Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry and Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry and/or Gas Chromatographic - Mass Spectrometry

Category (I): Dry brittle powder-like or pliable toy material:

	Result (mg/kg)			Limit (mg/kg)
	(15)	(16)	(17)	
Soluble Aluminium (Al)	270	380	530	2250
Soluble Antimony (Sb)	<10	<10	<10	45
Soluble Arsenic (As)	<1.0	<1.0	<1.0	3.8
Soluble Barium (Ba)	<10	<10	<10	1500
Soluble Boron (B)	<50	<50	<50	1200
Soluble Cadmium (Cd)	<0.5	<0.5	<0.5	1.3
Soluble Chromium (III) (Cr III)	<5.0	<5.0	<5.0	37.5
Soluble Chromium (VI) (Cr VI)	<0.010	<0.010	<0.010	0.02
Soluble Cobalt (Co)	<1.0	<1.0	<1.0	10.5
Soluble Copper (Cu)	<10	<10	<10	622.5
Soluble Lead (Pb)	<0.5	<0.5	<0.5	2.0
Soluble Manganese (Mn)	<10	<10	<10	1200
Soluble Mercury (Hg)	<1.0	<1.0	<1.0	7.5
Soluble Nickel (Ni)	<10	<10	<10	75
Soluble Selenium (Se)	<5.0	<5.0	<5.0	37.5
Soluble Strontium (Sr)	<100	<100	<100	4500
Soluble Tin (Sn)	<10	<10	<10	15000
Soluble Organic tin ++	<0.3	<0.3	<0.3	0.9
Soluble Zinc (Zn)	<100	<100	<100	3750





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)			Limit (mg/kg)
	(18)	(19)	(20)	
Soluble Aluminium (Al)	260	260	250	2250
Soluble Antimony (Sb)	<10	<10	<10	45
Soluble Arsenic (As)	<1.0	<1.0	<1.0	3.8
Soluble Barium (Ba)	<10	<10	<10	1500
Soluble Boron (B)	<50	<50	<50	1200
Soluble Cadmium (Cd)	<0.5	<0.5	<0.5	1.3
Soluble Chromium (III) (Cr III)	<5.0	<5.0	<5.0	37.5
Soluble Chromium (VI) (Cr VI)	<0.010	<0.010	<0.010	0.02
Soluble Cobalt (Co)	<1.0	<1.0	<1.0	10.5
Soluble Copper (Cu)	<10	<10	<10	622.5
Soluble Lead (Pb)	<0.5	<0.5	<0.5	2.0
Soluble Manganese (Mn)	<10	<10	<10	1200
Soluble Mercury (Hg)	<1.0	<1.0	<1.0	7.5
Soluble Nickel (Ni)	<10	<10	<10	75
Soluble Selenium (Se)	<5.0	<5.0	<5.0	37.5
Soluble Strontium (Sr)	<100	<100	<100	4500
Soluble Tin (Sn)	<10	<10	<10	15000
Soluble Organic tin ++	<0.3	<0.3	<0.3	0.9
Soluble Zinc (Zn)	<100	<100	<100	3750





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)			Limit (mg/kg)
	(21)	(22)	(23)	
Soluble Aluminium (Al)	260	220	240	2250
Soluble Antimony (Sb)	<10	<10	<10	45
Soluble Arsenic (As)	<1.0	<1.0	<1.0	3.8
Soluble Barium (Ba)	<10	<10	<10	1500
Soluble Boron (B)	<50	<50	<50	1200
Soluble Cadmium (Cd)	<0.5	<0.5	<0.5	1.3
Soluble Chromium (III) (Cr III)	<5.0	<5.0	<5.0	37.5
Soluble Chromium (VI) (Cr VI)	<0.010	<0.010	<0.010	0.02
Soluble Cobalt (Co)	<1.0	<1.0	<1.0	10.5
Soluble Copper (Cu)	<10	<10	<10	622.5
Soluble Lead (Pb)	<0.5	<0.5	<0.5	2.0
Soluble Manganese (Mn)	<10	<10	<10	1200
Soluble Mercury (Hg)	<1.0	<1.0	<1.0	7.5
Soluble Nickel (Ni)	<10	<10	<10	75
Soluble Selenium (Se)	<5.0	<5.0	<5.0	37.5
Soluble Strontium (Sr)	<100	<100	<100	4500
Soluble Tin (Sn)	<10	<10	<10	15000
Soluble Organic tin ++	<0.3	<0.3	<0.3	0.9
Soluble Zinc (Zn)	<100	<100	<100	3750





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)	Limit
	(24)	(mg/kg)
Soluble Aluminium (Al)	260	2250
Soluble Antimony (Sb)	<10	45
Soluble Arsenic (As)	<1.0	3.8
Soluble Barium (Ba)	<10	1500
Soluble Boron (B)	<50	1200
Soluble Cadmium (Cd)	<0.5	1.3
Soluble Chromium (III) (Cr III)	<5.0	37.5
Soluble Chromium (VI) (Cr VI)	<0.010	0.02
Soluble Cobalt (Co)	<1.0	10.5
Soluble Copper (Cu)	<10	622.5
Soluble Lead (Pb)	<0.5	2.0
Soluble Manganese (Mn)	<10	1200
Soluble Mercury (Hg)	<1.0	7.5
Soluble Nickel (Ni)	<10	75
Soluble Selenium (Se)	<5.0	37.5
Soluble Strontium (Sr)	<100	4500
Soluble Tin (Sn)	<10	15000
Soluble Organic tin ++	<0.3	0.9
Soluble Zinc (Zn)	<100	3750





TEST REPORT

Number : HKGH0307977505

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(2)	(3)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)			Limit (mg/kg)
	(4)	(5)	(6)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)			Limit (mg/kg)
	(7)	(8)	(9)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)			Limit (mg/kg)
	(10)	(11)	(12)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000





TEST REPORT

Number : HKGH0307977505

	Result (mg/kg)		Limit (mg/kg)
	(13)	(14)	
Soluble Aluminium (Al)	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	560
Soluble Arsenic (As)	<10	<10	47
Soluble Barium (Ba)	<10	<10	18750
Soluble Boron (B)	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	130
Soluble Copper (Cu)	<10	<10	7700
Soluble Lead (Pb)	<10	<10	23
Soluble Manganese (Mn)	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	94
Soluble Nickel (Ni)	<10	<10	930
Soluble Selenium (Se)	<10	<10	460
Soluble Strontium (Sr)	<100	<100	56000
Soluble Tin (Sn)	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	46000

mg/kg = milligram per kilogram

++ : Unless the test result was marked with "Δ", Organic tin content was not directly determined and was derived from migration result of total tin.

Organic tin test result was expressed as tributyl tin.

Chromium (III) value was calculated as difference between migration results of total Chromium and Chromium (VI) .

The solvent, (Iso-octane) was used for removing grease from play-doh sample.





TEST REPORT

Number : HKGH0307977505

Tested Components:

- (1) Coatings (white, black, red, blue) on PP plastic (logo, information of play-doh can).
- (2) Coatings on paper label (stickers).
- (3) Paper label excluding coatings (stickers).
- (4) Yellow PP plastic (play-doh can).
- (5) Red PE plastic (#801 play-doh lid).
- (6) Yellow PE plastic (#803 play-doh lid).
- (7) Neon green PE plastic (#805 play-doh lid).
- (8) Neon orange PE plastic (#809 play-doh lid).
- (9) Neon pink PE plastic (#810 play-doh lid).
- (10) Brt. blue PE plastic (#814 play-doh lid).
- (11) Dk. green PE plastic (#817 play-doh lid).
- (12) Dark purple PE plastic (#857 play-doh lid).
- (13) Chartreuse PE plastic (#862 play-doh lid).
- (14) Blue PE plastic (#866 play-doh lid).
- (15) Yellow #803 play-doh.
- (16) Brt. blue #814 play-doh.
- (17) Dk. green #817 play-doh.
- (18) Red #801 play-doh.
- (19) Neon green #805 play-doh.
- (20) Neon orange #809 play-doh.
- (21) Neon pink #810 play-doh.
- (22) Dark purple #857 play-doh.
- (23) Chartreuse #862 play-doh.
- (24) Blue #866 play-doh.

Date sample received : Dec 11, 2023

Test Period : Dec 11, 2023 to Dec 19, 2023



Page 16 of 17





TEST REPORT

Number : HKGH0307977505



HKGH0307977505-001

End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

