

TEST REPORT

Client: The Pilot Pen Company (UK) Ltd
4 Dukes Meadow
Millboard Road
Bourne End
Bucks
SL8 5XF



FAO: Annabel Morris

Sample: **'FRIXION' PENS**

Laboratory No: S0603673/SUP1/LS/AM1 Reference No: ----

Amendment to report S0603673/SUP1/LS dated 17th May 2006.


Order No: ---- Date received: 09/05/06

Description: Six coloured pens, red, green, blue, purple, black and light blue, all with a removable cap and a grey rubberised end. Each one has the same silver "tribal" design on it side.

Test conducted: BS 7272-1 : 2000 – Writing and Marking Instruments – Specification for safety caps.

BS 7272-2 : 2000 – Writing and Marking Instruments – Specification for end closures.

Conclusion: The sample **complied** with the above mentioned tests.


Sally Cross
Senior Toy Analyst

8th June 2006

All results relate only to the sample(s) received for testing.

Sample: 'FRIXION' PENS
Laboratory No: S0603673/SUP1/LS/AM1

BS 7272-1 : 2000 WRITING AND MARKING INSTRUMENTS SPECIFICATION FOR SAFETY CAPS

Section numbers below correspond to clauses of the standard.
Clauses not mentioned are not applicable to the sample.

3. REQUIREMENTS

3.1 General Pass

The pen cap complied with clause 3.4.

3.4 Ventilated caps airflow Pass

When tested in accordance with annex A of the standard, the airflow through the pen cap exceeded 8 L/min (minimum measured airflow = 8.97 L/min; diameter of tubing = 13 mm).

Note 1: The standard requires the testing of one representative sample only. Steps must be taken to ensure that production units achieve an airflow of at least 8 L/min.

4. IDENTIFICATION Pass

The sample or packaging was legibly and indelibly marked with:

- the name, trademark or other means of identification of the manufacturer or supplier.

Sample: 'FRIXION' PENS
Laboratory No: S0603673/SUP1/LS/AM1

BS 7272-2 : 2000 - END CLOSURES FOR WRITING AND MARKING INSTRUMENTS

Section numbers below correspond to clauses of the standard.
Clauses not mentioned are not applicable to the sample.

4. REQUIREMENTS

4.1 **General** **Pass**

The end closure complied with clause 4.3.

4.3 **Security** **Pass**

The end closures could not be removed when subjected to a force of 50 N

7. **IDENTIFICATION** **Pass**

The sample or packaging or accompanying documentation was legibly and indelibly marked with:

- the name, trademark or other means of identification of the manufacturer or supplier.

* * *